Data Sheet
Fujitsu Display L20T-4 LED Display

All-round display: 50.8 cm (20-inch) widescreen
Ease of use

The Fujitsu Display L20T-4 LED comes in a 16:9 format with a trendy style. There is no compromise in picture quality and energy efficiency. It is the best choice to get high pixel density with restricted desk space. It is easy-to-use and once it is installed you never have to adjust it again - proven Fujitsu quality.

Widescreen display with LED backlight panel in optimum 16:9 format

< 1W/inch typical power consumption and ENERGY STAR® compliant

5 ms fast response time (typ.) - perfect for office and internet

1600 x 900 HD resolution for excellent entertainment experience

Due to integrated speaker no further accessories needed

Green IT
ENERGY STAR
TCO CERTIFIED
epeat SILVER
LED Backlight
Eco Mode LED
5ms Response Time
Light Weight
Speaker
110-240V AC Input

Technical details

Special features	
	LED backlight panel, keep aspect ratio option
Stand details	
Stand	removable
Picture height over desk (min)	85 mm
Tilt angle	-5° / +15°
Picture performance	
Panel and backlit	TN/LED
Screen Surface Treatment	Anti-glare, 3H hard coating
Contrast - typical	1,000:1
Contrast - advanced	1,000,000:1
Response time typical	5 ms
Viewing angle (h/v) - typical	176°/170°
Color performance	16.7 million colors (Hi-FRC)
Brightness - typical	250 cd/m
Size and resolution	
Aspect ratio	16:9
Diagonal Size	50.8 cm (20-inch)
Resolution (native)	1600 x 900 pixel (recommended)
Resolution (interpolated)	1280 x 1024, 1024 x 768 pixel, 800 x 600 pixel, 720 x 400 pixel, 640 x 480 pixel
Picture size	443 x 249 mm
Pixel Pitch	0.277 mm
Frequencies	
Horizontal analog	30 kHz to 83 kHz
Horizontal digital	30 kHz to 83 kHz
Vertical	56 - 76 Hz
Frequencies - bandwidth	165 Mhz
Connectivity	
DVI	1 x DVI (HDCP)
VGA/D-SUB	1 x D-SUB
Audio signal input	3.5 mm stereo phone jack
Audio sound output	1 x 1.5 W
OSD Languages and setting options	
Languages	Arabic, Czech, Danish, Dutch, English, Finnish, French, German, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Japanese
Brightness / Contrast	Brightness, Contrast
Color	6500K, 9300K, Custom Color
Image adjust	H-Position, V-Position, Clock, Phase
Audio	Mute, Volume
Information	Model name, S/N, Resolution/mode, Signal input
Power consumption (typical, w/o sound)	
Soft switch off	0.26 W
Power save mode	0.31 W
Operating with EPA settings	15 W
Operating maximum brightness	17.7 W
Power supply display	integrated
Electrical values	
Rated voltage range	100 V - 240 V
Rated frequency range	50 Hz - 60 Hz
Protection class	1

Compliance	
Europe	CE certification according to EC Directive 2004/108/EEC, EN 60950, RoHS, WEEE, IT-Eco-Declaration
Model	L20T-4
Russia	GOST
USA/Canada	FCC Class B, cUL
Australia/New Zealand	C-Tick
Saudi Arabia	SASO
Global	TCO Displays 5.2, ENERGY STAR® 5.0, ISO9241-307 (Pixel fault class I), EPEAT® Silver (dedicated regions)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/
Quality and Reliability	
MTBF (demonstrated)	50.000 h
Dimensions / Weight / Environmental	
Dimension without stand (W x D x H)	478.2 x 49.2 x 296.5 mm
Dimension with stand (W x D x H)	478.2 x 165.3 x 353.2 mm
Weight (packed)	3.88 kg
Weight (unpacked)	2.75 kg
Operating ambient temperature	5 - 35°C
Miscellaneous	
Miscellaneous	VESA DDC/ CI, Standardized mounting interface VESA FPM PMI 75 mm, Kensington lock
Color	Piano black
Package content	
Display delivered accessories	D-SUB Data cable 1.8 m , Audio cable 1.8 m, Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m, Safety booklet, Warranty booklet, Quickstart flyer, Utility CD
Display delivered accessories notes	Data cables and audio cable detachable on display
Order information	
Order Code	S26361-K1430-V160
EAN-No.	4051554336417
Warranty	
Standard Warranty	3 years
Service level	Collect & Return Service (depending on country)
Spare Parts availability	5 years
Service Weblink	http://ts.fujitsu.com/Supportservice

More information

Fujitsu platform solutions

In addition to Fujitsu Display L20T-4 LED, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures
With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructureas-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products
www.fujitsu.com/global/services/computing/

Software
www.fujitsu.com/software/

More information

Learn more about Fujitsu Display L20T-4 LED, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
http://www.fujitsu.com/fts/displays

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.
Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.
Please find further information at http://www.fujitsu.com/global/about/environment/

Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.
Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact
FUJITSU Technology Solutions
Website: www.fujitsu.com/fts
2012-07-09 CE-EN

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.
Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions